

Township of Concord
Fire Marshal's Report

MAY 2015

RECEIVED

JUN 01 2015

TOWNSHIP OF CONCORD

INCIDENT CLASSIFICATION	This Month	This Month Last Year	This Year to Date	Last Year to Date
FIRE INCIDENTS				
Structure	0	1	3	8
Vehicle	0	1	3	3
Appliance	0	0	1	0
Heater/Chimney	0	0	1	1
Fire - All Other	3	2	9	16
TOTAL FIRE INCIDENTS	3	4	17	28
NON-FIRE INCIDENTS				
Rescue	10	12	52	48
Auto Alarm - Accidental	9	12	26	57
Auto Alarm - Faulty	0	0	3	3
False Alarm	6	1	9	4
Haz Mat	0	3	8	8
Investigation	6	5	33	35
Assist, Police	0	0	0	1
Assist, Other <i>EMS</i>	6	4	23	19
Elect./Mech.	1	1	5	12
TOTAL NON-FIRE INCIDENTS	38	38	159	187
TOTAL ALL INCIDENTS	41	42	176	215
DIRECT FIRE LOSS				
Structures	0	5,000	0	1,112,000
Vehicles	0	2,000	321,560	32,987
Contents	0	0	1,200	271,750
TOTAL DIRECT LOSS	0	7,000	322,760	1,413,737
FIRE CASUALTIES				
Fatalities	0	0	0	0
Injured	0	0	0	0
Fire Investigations	0	3	5	10
Fire Code Inspections	14	11	62	56
Fire Code Permits Issued	0	0	1	2

Concordville Fire & Protective Association

Township EMS Report May 2015

Concord Township
EMS Emergencies

BLS 29

ALS 110

Total EMS calls in Concord Township May 2015 = 139

Total EMS call in Concord Township for 2015 = 751

All Townships Total EMS calls for the month = 202

All Townships Total EMS calls for the year = 1062

Concordville Fire and Protection Assn

Incidents by Township (Summary)

Alarm Date Between {05/01/2015} And {05/31/2015}

Township	Count	Pct of Incidents	Est Losses	Pct of Losses
01 Concord	41	47.67 %	\$0	0.00 %
02 Thornbury, Delaware County	8	9.30 %	\$0	0.00 %
04 Chadds Ford	16	18.60 %	\$0	0.00 %
05 Birmingham, Chester County	10	11.62 %	\$0	0.00 %
06 Chester Heights	4	4.65 %	\$0	0.00 %
07 Bethel	3	3.48 %	\$0	0.00 %
11 Kennett	1	1.16 %	\$0	0.00 %
22 Upper Chichester	1	1.16 %	\$0	0.00 %
40 New Castle County, DE	2	2.32 %	\$0	0.00 %
Total Incident Count:	86		Total Est Losses:	\$0

Concordville Fire and Protection Assn

Incident Type Report (Summary)

Alarm Date Between {05/01/2015} And {05/31/2015}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
1 Fire				
111 Building fire	2	2.32%	\$0	0.00%
131 Passenger vehicle fire	2	2.32%	\$0	0.00%
142 Brush or brush-and-grass mixture fire	1	1.16%	\$0	0.00%
1431 Mulch	4	4.65%	\$0	0.00%
	<u>9</u>	<u>10.46%</u>	<u>\$0</u>	<u>0.00%</u>
3 Rescue & Emergency Medical Service Incident				
311 Medical assist, assist EMS crew	10	11.62%	\$0	0.00%
322 Motor vehicle accident with injuries	7	8.13%	\$0	0.00%
3221 Motor vehicle accident with fire	1	1.16%	\$0	0.00%
324 Motor Vehicle Accident with no injuries	6	6.97%	\$0	0.00%
	<u>24</u>	<u>27.90%</u>	<u>\$0</u>	<u>0.00%</u>
4 Hazardous Condition (No Fire)				
440 Electrical wiring/equipment problem, Other	1	1.16%	\$0	0.00%
445 Arcing, shorted electrical equipment	1	1.16%	\$0	0.00%
	<u>2</u>	<u>2.32%</u>	<u>\$0</u>	<u>0.00%</u>
5 Service Call				
561 Unauthorized burning	1	1.16%	\$0	0.00%
571 Cover assignment, standby, moveup	1	1.16%	\$0	0.00%
	<u>2</u>	<u>2.32%</u>	<u>\$0</u>	<u>0.00%</u>
6 Good Intent Call				
611 Dispatched & cancelled en route	7	8.13%	\$0	0.00%
6112 Held in Station	5	5.81%	\$0	0.00%
622 No Incident found on arrival at dispatch	2	2.32%	\$0	0.00%
671 HazMat release investigation w/no HazMat	1	1.16%	\$0	0.00%
	<u>15</u>	<u>17.44%</u>	<u>\$0</u>	<u>0.00%</u>
7 False Alarm & False Call				
700 False alarm or false call, Other	9	10.46%	\$0	0.00%
733 Smoke detector activation due to	2	2.32%	\$0	0.00%
736 CO detector activation due to malfunction	1	1.16%	\$0	0.00%
740 Unintentional transmission of alarm, Other	3	3.48%	\$0	0.00%
743 Smoke detector activation, no fire -	4	4.65%	\$0	0.00%
744 Detector activation, no fire -	7	8.13%	\$0	0.00%

Concordville Fire and Protection Assn

Incident Type Report (Summary)

Alarm Date Between {05/01/2015} And {05/31/2015}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
7 False Alarm & False Call				
745 Alarm system activation, no fire -	5	5.81%	\$0	0.00%
746 Carbon monoxide detector activation, no CO	3	3.48%	\$0	0.00%
	<u>34</u>	<u>39.53%</u>	<u>\$0</u>	<u>0.00%</u>

Total Incident Count: 86

Total Est Loss:

\$0