RECEIVED
AUG 03 2015
TOWNSHIP OF CONCORD

Township of Concord
Fire Marshal's Report
JULY 2015

INCIDENT CLASSIFICATION	This Month	This Month Last Year	This Year to Date	Last Year to Date
FIRE INCIDENTS				
Structure	1	1	6	9
Vehicle	0	1	3	6
Appliance	0	0	1	0
Heater/Chimney	0	0	1	1
Fire - All Other	1	3	14	20
TOTAL FIRE INCIDENTS	2	5	25	36
NON-FIRE INCIDENTS				
Rescue	15	11	88	80
Auto Alarm - Accidental	7	7	40	71
Auto Alarm - Faulty	1	0	8	5
False Alarm	1	0	15	4
Haz Mat	0	1	9	11
Investigation	5	3	50	47
Assist, Police	0	0	0	1
Assist, Other - EMS	2	3	30	25
Elect./Mech.	1	3	14	15
TOTAL NON-FIRE INCIDENTS	32	28	254	259
TOTAL ALL INCIDENTS	34	33	279	295
DIRECT FIRE LOSS				
Structures	0	0	3,000	1,112,000
Vehicles	0	20,000	321,500	48,987
Contents	0	1,000	4,700	279,250
TOTAL DIRECT LOSS	0	21,000	329,200	1,440,237
FIRE CASUALTIES				
Fatalities	0	0	0	0
Injured	0	0	0	0
Fire Investigations	1	2	8	16
Fire Code Inspections	12	13	94	79
Fire Code Permits Issued	1	0	6	3

Concordville Fire & Protective Association

Township EMS Report July 2015

Concord Township
EMS Emergencies

BLS 27
ALS 107
Total EMS calls in Concord Township July 2015 = 134
Total EMS call in Concord Township for 2015 = 1047

All Townships Total EMS calls for the month = 189
All Townships Total EMS calls for the year = 1,476

Concordville Fire and Protection Assn

Incidents by Township (Summary)

Alarm Date Between {07/01/2015} And {07/31/2015}

Township		Count	Pct of Incidents	Est Losses	Pct of Losses
01	Concord	34	51.51 %	$500	0.05 %
02	Thornbury, Delaware County	9	13.63 %	$0	0.00 %
04	Chadds Ford	14	21.21 %	$1,020,000	99.95 %
05	Birmingham, Chester County	4	6.06 %	$0	0.00 %
06	Chester Heights	4	6.06 %	$0	0.00 %
22	Upper Chichester	1	1.51 %	$0	0.00 %

Total Incident Count: 66 **Total Est Losses:** $1,020,500

Concordville Fire and Protection Assn

Incident List by Alarm Date/Time by Township

Alarm Date Between {07/01/2015} And {07/31/2015} and Township = "01 "

Incident-Exp#	Alm Date	Alm Time	Location	Incident Type
15-0000497-000	07/02/2015	13:32:57	1102 Baltimore PIKE /Glen	353 Removal of victim(s) from st
15-0000498-000	07/03/2015	20:06:00	Conchester HWY & Featherb	622 No Incident found on arrival
15-0000499-000	07/04/2015	07:11:00	Concord RD & Mattson RD /	622 No Incident found on arrival
15-0000500-000	07/04/2015	07:50:00	400 Evergreen DR /Glen Mi	743 Smoke detector activation, n
15-0000501-000	07/05/2015	14:51:15	500 Cheyney RD /George Hi	311 Medical assist, assist EMS c
15-0000502-000	07/07/2015	07:18:00	351 Concord RD /Glen Mill	324 Motor Vehicle Accident with
15-0000504-000	07/07/2015	10:18:00	105 Maris Grove WAY /Vern	322 Motor vehicle accident with
15-0000506-000	07/07/2015	21:19:41	369 Conchester HWY /Glen	142 Brush or brush-and-grass mix
15-0000507-000	07/09/2015	02:48:10	28 Beech Tree DR /Glen Mi	744 Detector activation, no fire
15-0000509-000	07/09/2015	19:23:00	Brinton Lake RD /Glen Mil	6311 Unattended Controlled Burn
15-0000511-000	07/09/2015	20:45:27	10 Peters LN /Glen Mills,	743 Smoke detector activation, n
15-0000513-000	07/09/2015	22:11:43	Baltimore PIKE & Brinton	352 Extrication of victim(s) fro
15-0000514-000	07/10/2015	10:51:14	242 Baltimore PIKE /Glen	745 Alarm system activation, no
15-0000516-000	07/11/2015	15:27:53	Wilmington West Chester P	322 Motor vehicle accident with
15-0000523-000	07/15/2015	07:48:56	Evergreen DR & Yarnall LN	322 Motor vehicle accident with
15-0000525-000	07/16/2015	08:52:06	Kirk RD & Shavertown RD	324 Motor Vehicle Accident with
15-0000527-000	07/16/2015	15:19:18	Baltimore PIKE & Applied	324 Motor Vehicle Accident with
15-0000529-000	07/17/2015	05:26:42	Wilmington West Chester P	622 No Incident found on arrival
15-0000531-000	07/18/2015	22:15:42	1110 Baltimore PIKE /Glen	731 Sprinkler activation due to
15-0000532-000	07/20/2015	16:07:00	Wilmington West Chester P	322 Motor vehicle accident with
15-0000534-000	07/20/2015	17:58:23	Conchester HWY & Baltimor	3241 Motor Vehicle Accident/Unfo
15-0000535-000	07/21/2015	03:30:30	983 Baltimore PIKE /Glen	745 Alarm system activation, no
15-0000536-000	07/21/2015	19:48:59	61 Smithbridge RD	700 False alarm or false call, O
15-0000537-000	07/21/2015	20:31:37	20 Aldan AVE	745 Alarm system activation, no
15-0000538-000	07/22/2015	12:05:16	44 Watkin AVE /Chadds For	440 Electrical wiring/equipment
15-0000539-000	07/22/2015	17:18:00	Wilmington West Chester P	322 Motor vehicle accident with
15-0000540-000	07/23/2015	18:55:37	Smithbridge RD & Wilmingt	322 Motor vehicle accident with
15-0000542-000	07/25/2015	09:19:00	318 Equestrian PL /Garnet	600 Good intent call, Other
15-0000546-000	07/26/2015	21:19:08	Conchester HWY & Station	324 Motor Vehicle Accident with
15-0000550-000	07/28/2015	01:21:32	Conchester HWY & Merion D	322 Motor vehicle accident with
15-0000551-000	07/28/2015	09:08:00	98 Dogwood LN /Glen Mills	311 Medical assist, assist EMS c
15-0000557-000	07/29/2015	08:17:47	2000 Ellis DR /Glen Mills	740 Unintentional transmission o
15-0000559-000	07/29/2015	11:57:18	421 Smithbridge RD /Glen	113 Cooking fire, confined to co
15-0000561-000	07/31/2015	05:53:37	Southbound Baltimore Pike	324 Motor Vehicle Accident with

Total Incident Count 34

Concordville Fire and Protection Assn

Incident Type Report (Summary)

Alarm Date Between {07/01/2015} And {07/31/2015}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
1 Fire				
111 Building fire	2	3.03%	$1,000,000	97.99%
113 Cooking fire, confined to container	1	1.51%	$500	0.04%
131 Passenger vehicle fire	1	1.51%	$20,000	1.95%
141 Forest, woods or wildland fire	1	1.51%	$0	0.00%
142 Brush or brush-and-grass mixture fire	1	1.51%	$0	0.00%
1431 Mulch	1	1.51%	$0	0.00%
	7	**10.60%**	**$1,020,500**	**100.00%**
3 Rescue & Emergency Medical Service Incident				
311 Medical assist, assist EMS crew	2	3.03%	$0	0.00%
322 Motor vehicle accident with injuries	8	12.12%	$0	0.00%
323 Motor vehicle/pedestrian accident (MV Ped)	1	1.51%	$0	0.00%
324 Motor Vehicle Accident with no injuries	6	9.09%	$0	0.00%
3241 Motor Vehicle Accident/Unfounded	1	1.51%	$0	0.00%
352 Extrication of victim(s) from vehicle	1	1.51%	$0	0.00%
353 Removal of victim(s) from stalled elevator	1	1.51%	$0	0.00%
	20	**30.30%**	**$0**	**0.00%**
4 Hazardous Condition (No Fire)				
424 Carbon monoxide incident	1	1.51%	$0	0.00%
440 Electrical wiring/equipment problem, Other	3	4.54%	$0	0.00%
444 Power line down	1	1.51%	$0	0.00%
445 Arcing, shorted electrical equipment	2	3.03%	$0	0.00%
	7	**10.60%**	**$0**	**0.00%**
6 Good Intent Call				
600 Good intent call, Other	3	4.54%	$0	0.00%
611 Dispatched & cancelled en route	2	3.03%	$0	0.00%
622 No Incident found on arrival at dispatch	4	6.06%	$0	0.00%
6311 Unattended Controlled Burn	1	1.51%	$0	0.00%
652 Steam, vapor, fog or dust thought to be	1	1.51%	$0	0.00%
	11	**16.66%**	**$0**	**0.00%**
7 False Alarm & False Call				
700 False alarm or false call, Other	1	1.51%	$0	0.00%
730 System malfunction, Other	1	1.51%	$0	0.00%
731 Sprinkler activation due to malfunction	1	1.51%	$0	0.00%
733 Smoke detector activation due to	1	1.51%	$0	0.00%

Concordville Fire and Protection Assn

Incident Type Report (Summary)

Alarm Date Between {07/01/2015} And {07/31/2015}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
7 False Alarm & False Call				
735 Alarm system sounded due to malfunction	1	1.51%	$0	0.00%
740 Unintentional transmission of alarm, Other	3	4.54%	$0	0.00%
743 Smoke detector activation, no fire -	5	7.57%	$0	0.00%
744 Detector activation, no fire -	3	4.54%	$0	0.00%
745 Alarm system activation, no fire -	5	7.57%	$0	0.00%
	21	31.81%	$0	0.00%

Total Incident Count: 66 Total Est Loss: $1,020,500