

RECEIVED

AUG 03 2016

Township of Concord
 Fire Marshal's Report
JULY, 2016

TOWNSHIP OF CONCORD

INCIDENT CLASSIFICATION	This Month	This Month Last Year	This Year to Date	Last Year to Date
FIRE INCIDENTS				
Structure	1	1	9	6
Vehicle	1	0	5	3
Appliance	0	0	3	1
Heater/Chimney	0	0	2	1
Fire - All Other	2	1	18	14
TOTAL FIRE INCIDENTS	4	2	37	25
NON-FIRE INCIDENTS				
Rescue	9	15	73	88
Auto Alarm - Accidental	1	7	42	40
Auto Alarm - Faulty	18	1	26	8
False Alarm	4	1	24	15
Haz Mat	2	0	14	9
Investigation	3	5	39	50
Assist, Police	0	0	1	0
Assist, Other <i>EMS</i>	1	2	30	30
Elect./Mech.	3	1	9	14
TOTAL NON-FIRE INCIDENTS	41	32	258	254
TOTAL ALL INCIDENTS	45	34	295	279
DIRECT FIRE LOSS				
Structures	5,000	0	115,500	3,000
Vehicles	2,000	0	32,900	321,500
Contents	0	0	0	4,700
TOTAL DIRECT LOSS	7,000	0	148,400	329,200
FIRE CASUALTIES				
Fatalities	0	0	0	0
Injured	0	0	0	0
Fire Investigations	2	1	18	8
Fire Code Inspections	10	12	75	94
Fire Code Permits Issued	3	1	5	6

Concordville Fire & Protective Association

Township EMS Report July 2016

Concord Township
EMS Emergencies

BLS	36
ALS	162

Total EMS calls in Concord Township July 2016 = 198

Total EMS call in Concord Township for 2016 = 1,048

All Townships Total EMS calls for the month = 263

All Townships Total EMS calls for the year = 1,617

Concordville Fire and Protection Assn

Incidents by Township (Summary)

Alarm Date Between {07/01/2016} And {07/31/2016}

Township	Count	Pct of Incidents	Est Losses	Pct of Losses
01 Concord	45	46.87 %	\$4,500	47.37 %
02 Thornbury, Delaware County	5	5.20 %	\$0	0.00 %
04 Chadds Ford	25	26.04 %	\$5,000	52.63 %
05 Birmingham, Chester County	8	8.33 %	\$0	0.00 %
06 Chester Heights	7	7.29 %	\$0	0.00 %
07 Bethel	1	1.04 %	\$0	0.00 %
15 Edgmont Twp	2	2.08 %	\$0	0.00 %
16 Talleyville	1	1.04 %	\$0	0.00 %
37 New Garden Twp	1	1.04 %	\$0	0.00 %
40 New Castle County, DE	1	1.04 %	\$0	0.00 %
Total Incident Count:	96		Total Est Losses:	\$9,500

Concordville Fire and Protection Assn

Incident Type Report (Summary)

Alarm Date Between {07/01/2016} And {07/31/2016}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
1 Fire				
111 Building fire	1	1.04%	\$0	0.00%
131 Passenger vehicle fire	1	1.04%	\$4,500	47.36%
1431 Mulch	3	3.12%	\$5,000	52.63%
	<u>5</u>	<u>5.20%</u>	<u>\$9,500</u>	<u>100.00%</u>
3 Rescue & Emergency Medical Service Incident				
311 Medical assist, assist EMS crew	5	5.20%	\$0	0.00%
322 Motor vehicle accident with injuries	7	7.29%	\$0	0.00%
323 Motor vehicle/pedestrian accident (MV Ped)	1	1.04%	\$0	0.00%
324 Motor Vehicle Accident with no injuries	4	4.16%	\$0	0.00%
3241 Motor Vehicle Accident/Unfounded	1	1.04%	\$0	0.00%
352 Extrication of victim(s) from vehicle	2	2.08%	\$0	0.00%
353 Removal of victim(s) from stalled elevator	1	1.04%	\$0	0.00%
	<u>21</u>	<u>21.87%</u>	<u>\$0</u>	<u>0.00%</u>
4 Hazardous Condition (No Fire)				
411 Gasoline or other flammable liquid spill	1	1.04%	\$0	0.00%
444 Power line down	4	4.16%	\$0	0.00%
4441 Wires down	1	1.04%	\$0	0.00%
445 Arcing, shorted electrical equipment	1	1.04%	\$0	0.00%
463 Vehicle accident, general cleanup	1	1.04%	\$0	0.00%
	<u>8</u>	<u>8.33%</u>	<u>\$0</u>	<u>0.00%</u>
5 Service Call				
551 Assist police or other governmental agency	1	1.04%	\$0	0.00%
571 Cover assignment, standby, moveup	1	1.04%	\$0	0.00%
	<u>2</u>	<u>2.08%</u>	<u>\$0</u>	<u>0.00%</u>
6 Good Intent Call				
600 Good intent call, Other	1	1.04%	\$0	0.00%
611 Dispatched & cancelled en route	10	10.41%	\$0	0.00%
6112 Held in Station	4	4.16%	\$0	0.00%
622 No Incident found on arrival at dispatch	1	1.04%	\$0	0.00%
6310 Attended Controlled Burn	1	1.04%	\$0	0.00%
	<u>17</u>	<u>17.70%</u>	<u>\$0</u>	<u>0.00%</u>
7 False Alarm & False Call				

Concordville Fire and Protection Assn

Incident Type Report (Summary)

Alarm Date Between {07/01/2016} And {07/31/2016}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
7 False Alarm & False Call				
700 False alarm or false call, Other	10	10.41%	\$0	0.00%
710 Malicious, mischievous false call, Other	1	1.04%	\$0	0.00%
730 System malfunction, Other	3	3.12%	\$0	0.00%
733 Smoke detector activation due to	2	2.08%	\$0	0.00%
740 Unintentional transmission of alarm, Other	3	3.12%	\$0	0.00%
741 Sprinkler activation, no fire -	2	2.08%	\$0	0.00%
743 Smoke detector activation, no fire -	3	3.12%	\$0	0.00%
744 Detector activation, no fire -	2	2.08%	\$0	0.00%
745 Alarm system activation, no fire -	15	15.62%	\$0	0.00%
746 Carbon monoxide detector activation, no CO	2	2.08%	\$0	0.00%
	43	44.79%	\$0	0.00%

Total Incident Count: 96

Total Est Loss:

\$9,500